


Materials Division

Publications

&

Patents

2002



**John H. Glenn Research Center
at Lewis Field
Brookpark, Ohio**

1. Alston, W. B.: PMR Polyimide Extended Shelf Life Technology. Technology Opportunity, TOP3-00148, 2001.
2. Bansal, N. P.: Celsian Formation in Fiber-Reinforced Barium Aluminosilicate Glass-Ceramic Matrix Composites. *Mater. Sci. Eng. A* 349 [1-2] pp. 23-27 (2002).
3. Bansal, N. P. and Singh, J. P., Editors: Innovative Processing and Synthesis of Ceramics, Glasses, and Composites VI. Proceedings of the Innovative Processing and Synthesis of Ceramics, Glasses, and Composites Symposium held at the 104th Meeting of The American Ceramic Society, April 28 - May 1, 2002, St. Louis, Mo. *Ceram. Trans.*, vol. 135 (2002) p. 262 ff.
4. Bansal, N. P.; Wheeler, D. R.; and Chen, Y. L.: Mechanical, Chemical, and Microstructural Characterization of Monazite-Coated Hi-Nicalon and Sylramic Fibers. *SAMPE J. Advanced Materials* (2002).
5. Choi, S. R. and Bansal, N. P.: Processing and Mechanical Properties of Various Zirconia/Alumina Composites for Fuel Cell Applications. *NASA/TM—2002-211580*, June 2002.
6. Choi, S. R. and Bansal, N. P.: Strength and Fracture Toughness of Zirconia/Alumina Composites for Solid Oxide Fuel Cells. *Ceramic Engineering and Science Proceedings*, vol. 23, issue 3, 2002, p. 741 ff.
7. Choi, S. R.; Bansal, N. P.; and Gyekenyesi, J. P.: Ultimate Tensile Strength as a Function of Test Rate for Various Ceramic Matrix Composites at Elevated Temperatures. *NASA/TM—2002-211579*, June 2002.
8. Colombar, P., Attar, A.; Gouadec, G.; and Bansal, N. P.: Confocal Raman Imaging of (Uncoated/Coated) HPZ Fibers Reinforcing Celsian Matrix Composites, Before and After Alkaline Corrosion. *Ceram. Trans.*, vol. 135, 205-215 (2002).
9. Singh, J. P.; Bansal, N. P.; and Bandyopadhyay, Eds.: Innovative Processing and Synthesis of Ceramics, Glasses and Composites V. *Ceramic Transactions*, vol. 129, The American Ceramic Society, Westerville, Ohio (2002), p. 200 ff.
10. Unal, O. and Bansal, N. P.: In-Plane and Interlaminar Shear Strength of Silicon Carbide Fiber-Reinforced Celsian Composite. *Ceram. Int.*, 28 [5] 527-540 (2002).
11. Aziz, A. A.; Bhatt, R T.; and Girgis, M. M.: Influence of Cooling Hole Geometry and Materials Conductivity on the Thermal Response of Cooled Silicon Nitride Plate. *Ceramic Engineering and Science Proceedings*, vol. 23, issue 3, 2002, p. 125 ff.
12. Baaklini, G. Y. and Bhatt, R. T.: Reproducible Densification of MI SiC/SiC Composites Achieved. Proceedings of the 26th Annual Conference on Composites, Materials and Structures, Cocoa Beach/Cape Canaveral, Fla., Jan. 2002.
13. Bhatt, R. T.; Baaklini, G. Y.; and Mital, S. K.: Influence of Constituents on Transverse Thermal Conductivity of Melt Infiltrated SiC/SiC Composites. *Ceramic Engineering and Science Proceedings*, vol. 23, issue 3, 2002, p. 493 ff.

14. Bhatt, R. T.; Chen, Y. L.; and Morscher, G. N.: Microstructure and Tensile Properties of BN/SiC Coated Hi-Nicalon and Sylramic SiC Fiber Preforms. *J. Mat Sci.* 37(18) 3991-3998. Also NASA/TM—2001-210695.
15. Bhatt, R. T.; Hull, D. R.; Eldridge, J. I.; and Babuder, R.: Effects of Interface Coating and Nitridation Enhancing Additive on Properties of Hi-Nicalon/RBSN Composites. *Journal of Materials Science* 37 (2002) 141-150. Also NASA/TM—2000-210211.
16. Choi, S. R.; Pereira, J. M.; Janosik, L. A.; and Bhatt, R. T.: Foreign Object Damage of Two Gas-Turbine Grade Silicon Nitrides at Ambient Temperature. *Ceramic Engineering and Science Proceedings*, vol. 23, issue 3, p. 193 ff.
17. Girgis, M. M.; Bhatt, R. T.; and Aziz, A. A.: Thermal Modeling of Minimally Cooled Silicon Nitride Plates for Gas Turbine Applications. *Proceedings of Cocoa Beach Conference*, Jan. 2002.
18. Abel, P. and Bozzolo, G.: Calculation of Thermal Expansion Coefficients of Pure Elements and their Alloys. *Scripta Materialia* 46 (2002) 557.
19. Bozzolo, G.: Modeling of Alloy Surfaces, Segregation and Surface Alloys. *Surface Alloys and Alloy Surfaces, The Chemical Physics of Solid Surfaces*, vol. 10, Elsevier, 2002.
20. Bozzolo, G. H.; Noebe, R. D.; and Amador, C.: Site Occupancy of Ternary Additions to B2 Alloys. *Intermetallics* 10 (2002) 149-159.
21. Bozzolo, G.; Garces, J. E.; and Abel, P.: Modeling of 3C-SiC using the BFS Method for Alloys. *Surf. Sci.* 507-510 (2002) 394.
22. Bozzolo, G.; Khalil, J.; and Noebe, R. D.: Modeling of the Site Occupancy in Ternary B2-Ordered Ni-Al-Fe Alloys. *Comp. Mat. Sci.* 24 (2002) 457-480.
23. Bozzolo, G.; Khalil, J.; Bartow, M.; and Noebe, R. D.: Atomistic Modeling of Ternary and Quaternary Ordered Intermetallic Alloys. *High-Temperature Ordered Intermetallic Alloys IX*, vol. 646, p. N6.2.1 (2001). Also *Mat. Res. Soc. Symp. Proc.* 646.
24. Bozzolo, G.; Mosca, H. O.; Wilson, A. W.; Noebe, R. D.; and Garces, J. E.: Atomistic Modeling of Quaternary Alloys: Ti and Cu in NiAl. *Metallurgical and Materials Transactions B*, vol. 33B, April 2002, 265-284.
25. Garces, J.; Bozzolo, G.; Mosca, H.; and Abel, P.: Surface Alloys of Pd and Cu via Atomistic Modeling. *Surf. Sci.*, 482/485 (2001) 776-783.
26. Khalil, J.; Bozzolo, G.; Farias, D.; Vazquez de Parga, A.; de Miguel, J. J.; and Miranda, R.: Atomistic Modeling of Co Growth on Cu(111). *Mat. Res. Soc. Symp. Proc.* 696 (2002) N9.3.
27. Wilson, A.; Bozzolo, G.; Noebe, R. D.; and Howe, J.: Experimental Verification of the Theoretical Prediction of the Phase Structure of a Ni-Al-Ti-Cr-Cu Alloy. *Acta Materialia* 50 (2002) 2787-2800.

28. Campbell, S. and Scheiman, D.: Orientation of Aromatic Ion Exchange Diamines and the Effect on Melt Viscosity and Thermal Stability of PMR-15/Silicate Nanocomposites. *High Performance Polymers*, 14: 17-30, 2002.
29. Campbell, S.; Scheiman, D.; Faile, M.; and Papadopoulos, D.: PMR-15/Layered Silicate Nanocomposites for Improved Thermal Stability and Mechanical Properties. *47th International SAMPE Symposium*, May 12-16, 2002, p. 1131.
30. Bowman, C. L.; Theskin, J. C.; Chuang, K. C.; and Arendt, C. P.: Graphite Fiber/Polyimide Composites Subjected to Moisture & Rapid Heating. *47th International SAMPE Symposium*. Closed Paper (2002).
31. Bowman, C., Chuang, K.; Thesken, J.; and Arendt, C.: Contrasting Stitched and Unstitched Graphite Fiber/Polyimide Composites for RLV Applications. *High Temple Workshop XXII*, Jan. 21-24, 2002, Santa Fe, N.M., J 1-9 (2002).
32. Chuang, K. C.; Papadopoulos, D. S.; and Arendt, C. P.: High Tg Polyimide Composites II. *International SAMPE Symp.* 47, 1175 (2002).
33. Chuang, K.; Macdonald, F.; Stickler, P.; and Coguill, S.: Beyond Tg Characterization of Polymer Matrix Composite Materials for Moderate Duration Missile Applications. *High Temple Workshop XXII*, Jan. 21-24, Santa Fe, N.M., I 1-10 (2002).
34. Benjapiyaporn, C.; de Vahl Davis, G.; Leonardi, E.; Leong, S. S.; Timchenko, V.; and de Groh III, H. C.: Numerical Study of g-Jitter During Directional Solidification. *Numerical Heat Transfer, Part A*, 41: 597-610, 2002.
35. Pan, B.; Shang, D.-Y., Li, B. Q.; and deGroh, H. C.: Magnetic Field Effects on g-Jitter Induced Flow and Solute Transport. *International Journal of Heat and Mass Transfer*, vol. 45, 2002, pp. 125-144.
36. Shu, Y.; Li, B. Q.; and deGroh, H. C., III: Numerical Damping of g-Jitter Induced Double-Diffusive Convection. *Numerical Heat Transfer Part A, Applications*, vol. 42, no. 4, pp. 345-364, 2002.
37. Simpson, J. E.; Garimella, S. V.; and de Groh III, H. C.: Experimental and Numerical Investigation of the Bridgman Growth of a Transparent Material. *Journal of Thermophysics and Heat Transfer*, vol. 16, no. 3, July-Sept. 2002, pp. 324-335.
38. Draper, S. L.; Lerch, B. A.; Miyoshi, K.; and Pereira, J. M.: Gamma-TiAl Shown to have Sufficient Durability to allow the Design of a Robust Low-Pressure Turbine Blade. *2001 Research and Technology*, NASA/TM—2002-211333.
39. Allison, S. W.; Beshears, D. L.; Gadfort, T.; Bencic, T.; Eldridge, J.; Hollerman, W. A.; and Boudreaux, P.: High Temperature Surface Measurements Using Lifetime Imaging of Thermographic Phosphors: Bonding Tests. *Proceedings of the 19th International Congress on Instrumentation in Aerospace Simulation Facilities*, Cleveland, Ohio, Aug. 27-30, 2001. Published in 2002. ISBN: 0-7803-7022-8.

40. Eldridge, J. I.; Morscher, G. N.; and Choi, S. R.: Quasistatic vs. Dynamic Modulus Measurements of Plasma-Sprayed Thermal Barrier Coatings. Ceramic Engineering and Science Proceedings, vol. 23, issue 4, 2002, p. 371 ff.
41. Eldridge, J. I.; Spuckler, C. M.; Street, K. W.; and Markham, J. R.: Infrared Radiative Properties of Yttria-Stabilized Zirconia Thermal Barrier Coatings. Ceramic Engineering and Science Proceedings, vol. 23, issue 4, 2002, p. 417 ff.
42. Farmer, S. C. and Sayir, A.: Tensile Strength and Microstructure of Al_2O_3 - ZrO_2 Hypo-Eutectic Fibers. Engineering Fracture Mechanics 69, pp. 1015-1024 (2002).
43. Fox, D. S.; Zhu, D.; and Miller, R. A.: Simulated Engine Test of Combustor Mini-Segments using a High Power CO_2 Laser. Ceramic Engineering & Science Proceedings, vol. 22, Issue 4, 2001, pp. 409-416.
44. Diethelm, K.; Ford, N. J.; and Freed, A. D.: A Predictor-Corrector Approach for the Numerical Solution of Fractional Differential Equations. Nonlinear Dynamics 29: 3-22, 2002.
45. Freed, A.; Diethelm, K.; and Luchko, Y.: Fractional-Order Viscoelasticity (FOV): Constitutive Development Using the Fractional Calculus: First Annual Report. NASA/TM—2002-211914, Dec. 2002.
46. Freedman, M. R.; Kiser, J. D.; Brewer, D. N.; Effinger, M. R.; and Petervary, M. R.: A Comparison of C/SiC and SiC/SiC Ceramic Matrix Composites for Reusable Launch Vehicle Propulsion Applications. The 26th Annual Conference on Composites, Materials and Structures, Cocoa Beach/Cape Canaveral, Fla., Jan. 2002, Paper E5.
47. Bonacuse, P. J.; Kantzos, P. T.; Telesman, J.; Gabb, T. P.; and Barrie, R. L.: Modeling Ceramic Inclusions in Powder Metallurgy Alloys. Fatigue 2002, Proceedings of the 8th International Fatigue Congress, edited by A. F. Blom, vol. 2, 2002, pp. 1339-1346.
48. Gabb, T. P. and O'Connor, K.: High Temperature, Slow Strain Rate Forging of Advanced Disk Alloy ME3. NASA/TM—2001-21090 1, Aug. 2001.
49. Gabb, T. P. and Smith, J. W.: Microprobe Evaluations of Grain Boundary Segregation in KM4 and IN100. NASA/TM—2001-210666, Jan. 2001.
50. Gabb, T. P.; Gayda, J.; Kantzos, P. T.; Biles, T.; and Konkel, W.: The Tensile Properties of Advanced Nickel-Base Disk Superalloys during Quenching Heat Treatments. Materials Design Approaches and Experiences, ed. J.-C. Zhao, M. Fahrmann, T. M. Pollock, TMS, Nov. 2001, pp. 267-280. Also NASA/TM--2001-211218, Oct. 2001.
51. Gabb, T. P.; Telesman, J.; and Kantzos, P. T.: Surface Enhancement of Metallic Materials. Advanced Materials & Processes, ASM, Jan. 2002, pp. 69-72.
52. Gabb, T. P.; Telesman, J.; Kantzos, P. T.; Bonacuse, P. J.; and Barrie, R. L.: Initial Assessment of the Effects of Nonmetallic Inclusions on Fatigue Life of Powder-Metallurgy-Processed Udimet® 720. NASA/TM—2002-211571, ARL-TR-2804, Aug. 2002.

53. Gabb, T. P.; Telesman, J.; Kantzios, P. T.; Sweeney, J. W.; and Browning, P. F.: Effects of High-Temperature Exposures on the Fatigue Life of Superalloy Udimet® 720. Fatigue—David L. Davidson Symposium, eds, . K. S. Chan, P. K. Liaw, R. S. Bellows, T. C. Zogas, and W. O. Soboyejo, TMS. March 2002, pp. 261-269. Also NASA/TM—2002-211570, July 2002.
54. Gabb, T. P.; Telesman, J.; Kantzios, P. T.; and O'Connor, K.: Characterization of the Temperature Capabilities of Advanced Disk Alloy ME3. NASA/TM—2002-211796, Aug. 2002.
55. Telesman, J.; Gabb, T. P.; Kantzios, P. T.; and Barrie, R. L.: Effects of Overloads on Time Dependent Fatigue Crack Growth in a Nickel Based Superalloy. Fatigue 2002, Proceedings of the 8th International Fatigue Congress, edited by A. F. Blom, vol. 2, 2002.
56. Gayda, J. and Kantzios, P.: Burst Testing of a Superalloy Disk with a Dual Grain Structure. NASA/TM—2002-211868, Aug. 2002.
57. Gayda, J. and Kantzios, P.: High Temperature Spin Testing of a Superalloy Disk with a Dual Grain Structure. NASA/TM—2002-211684, June 2002.
58. Gayda, J.; Gabb, T.; Kantzios, P.; and Furrer, D.: Heat Treatment Technology for Production of Dual Microstructure Superalloy Disks. NASA/TM—2002-211558, April 2002.
59. Gayda, J.; Kantzios, P.; and Miller, J.: Quench Crack Behavior of Nickel-Base Disk Superalloys. NASA/TM—2002-211984, Nov. 2002.
60. Good, B. and Bozzolo, G.: Surface Composition of Alloys via BFS Atomistic Monte Carlo Simulation. *Surf. Sci.* 507-510 (2002) 394.
61. Harris, C. E.; Shuart, M. J.; and Gray, H. R.: Emerging Materials for Revolutionary Aerospace Vehicle Structures and Propulsion Systems. *SAMPE Journal*, vol. 38, no. 6, Nov./Dec. 2002, pp. 33-43.
62. Halbig, M. C.: Modeling the Oxidation of Carbon Fibers in a C/SiC Composite under Stressed Oxidation. *Ceramic Engineering and Science Proceedings*, vol. 23, issue 3, 2002, pp. 427-434.
63. Halbig, M. C.: The Influence of Temperature, Stress, and Environment on the Oxidation and Life of C/SiC Composites. *Ceramic Engineering and Science Proceedings*, vol. 23, issue 3, 2002, pp. 419-426.
64. Hebsur, M. G.: Processing of IN-718 Lattice Block Castings. *Processing and Properties of Lightweight Cellular Metals and Structures*, ed. by A. Ghosh, T. Sanders, and D. Claar, TMS 2002. Also NASA/CR—2002-211332, April 2002.
65. Heimann, P. and Steffier, W.: Characterization of DVI-C/SiC Composites Incorporating an Oxidation Inhibitor. *2002 National Space and Missile Materials Symposium*, Colorado Springs, Col., June 2002.

66. Calomino, A. M.; Hurwitz, F. I.; and Abdul-Aziz, A.: Analysis of CMC C-Coupon Specimens for Structural Evaluation. *Ceram. Eng. Sci. Proc.* 22(3) 569-576, 2001.
67. Hurwitz, F. I.; Calomino, A. M.; Abdul-Aziz, A.; and McCue, T. R.: C-Coupon Studies of CMCs: Fracture Behavior and Microstructural Characterization. *Ceram. Eng. Sci. Proc.* 22(3), 577-584, 2001.
68. Hurwitz, F. I.; Calomino, A. M.; Morscher, G. N.; and McCue, T. R.: C-Coupon Studies of SiC/SiC Composites Part II: Microstructural Characterization. *Ceram. Engineering and Science Proceedings*, vol. 23, issue 3, 2002, p. 387 ff.
69. Hurwitz, F. I.; Chayka, P. V.; and Scott, J. M.: Progress on BN and Doped-BN Coatings on Woven Fabrics. *Ceram. Eng. Sci. Proc.* 22(3), 389-397 (2001).
70. Hurwitz, F. I.; Chayka, P. V.; Scott, J. M.; and Wheeler, D. R.: BN and Si-doped BN Coatings on Woven Fabrics. *Ceramic Engineering and Science Proceedings*, vol. 23, issue 3, 2002, p. 247 ff.
71. Sullivan, R. M.; Calomino, A. M.; Hurwitz, F. I.; and Eldridge, J. I.: Design Studies for Hybrid Airframe Structures Development for Reusable Launch Vehicles. *Proceedings of the National Space and Missile Materials Space Symposium*, Colorado Springs, Col., June 2002.
72. Jacobson, N. S. and Palou, J.: Chemistry of Sodium Carbonate Deposits on the Space Shuttle Orbiter Wing Leading Edges and Nose Cap. *NASA/TM—2002-211976*, Dec. 2002.
73. Jacobson, N. S.; Copland, E. H.; Mehrotra, G. M.; and Auping, J.: Knudsen Cell Studies of Ti-Al Thermodynamics. *Electrochemical Society Proceedings*, vol. 2002-5.
74. Jacobson, N. S.; Liu, Z-K.; Kaufman, L.; and Zhang, F.: Calculation of Phase Equilibria in the Y_2O_3 - Yb_2O_3 - ZrO_2 System. *Electrochemical Society Proceedings*, vol. 2002-5.
75. Effinger, M. R.; Kiser, J. D.; Glass, D. E.; and Curry, D. M.: Environmental Durability Risk Mitigation for Carbon Fiber Reinforced Ceramic Matrix Composites. *The 26th Annual Conference on Composites, Materials and Structures*, Cocoa Beach/Cape Canaveral, Fla., Jan. 2002, Paper C7.
76. Effinger, M.; Kiser, D.; Atmur, S.; Babcock, J.; Easler, T.; Kowbel, W.; Galligher, R.; Shinavski, R.; and Vaidyanathan, R.: CMC Blisk Processing and Material Development. *The 26th Annual Conference on Composites, Materials and Structures*, Cocoa Beach/Cape Canaveral, Fla., Jan. 2002, Paper C4.
77. Effinger, M.; Valentine, P.; Kiser, D.; Freedman, M.; and Petervary, M.: Increased Safety with CMC Components. *2002 National Space and Missile Materials Symposium*, Colorado Springs, Col., June 2002.

78. Kiser, J. D.; DiCarlo, J. A.; Eckel, A. J.; Freedman, M. R.; and Levine, S. R.: Overview of GRC's C/SiC and SiC/SiC Ceramic Matrix Composite (CMC) Materials Development. 2001 NASA Seal/Secondary Air System Workshop, Cleveland, Ohio, Oct. 2001. NASA/CP—2002-211911-VOL. 2, pp. 175-199.
79. Martin, L. C.; Kiser, J. D.; Lei, J-F.; Singh, M.; Cuy, M.; Blaha, C. A.; and Androjna, D.: Attachment Technique for Securing Sensor Lead Wires on SiC-Based Components. *Journal of Advanced Materials*, vol. 34, no. 4, Oct. 2002, pp. 34-40.
80. Lang, J.; Eckel, A.; Baaklini, G.; and Petervary, M.: Ceramic Matrix Composite Gas Generator Combustor Test. 2002 National Space and Missile Materials Symposium, Colorado Springs, Col., June 2002.
81. Lang, J.; Eckel, A.; Dennis, J.; Hissam, A.; Buesking, K.; Halada, J.; and Petervary, M.: Recent Progress on the CMC Combustion Chamber Task. The 26th Annual Conference on Composites, Materials and Structures, Cocoa Beach/Cape Canaveral, Fla., Jan. 2002.
82. Eaton, H. E., Jr.; Allen, W. P.; Lee, K. N.; Jacobson, N. S.; Bansal, N. P.; Opila, E. J.; Smialek, J. L.; Spitsberg, I. T.; Wang, H.; Meschter, P. J.; and Luthra, K. L.: Silicon Based Substrate with Environmental/Thermal Barrier Layer. United States Patent No. 6,410,148, June 25, 2002.
83. Eaton, H. E., Jr.; Allen, W. P.; Lee, K. N.; Jacobson, N. S.; Bansal, N. P.; Opila, E. J.; Smialek, J. L.; Spitsberg, I. T.; Wang, H.; Meschter, P. J.; and Luthra, K. L.: Silicon Based Substrate with Environmental/Thermal Barrier Layer. United States Patent No. 6,387,456, May 14, 2002.
84. Lee, K. and Eldridge, J. I.: *Journal of Thermal Spray Technology*, Dec. 2002, vol. 11, no. 4. Cover Photo: Finite Element, FE, simulation of thermal stresses, based on the microstructure of a sophisticated TBC. The image shows the SEM micrograph of the TBC, the processed image, the FE mesh, and computational results.
85. Lee, K. N.: Environmental Barrier Coatings Having a YSZ Top Coat. Proceedings of the ASME Turbo Expo 2002, Paper #GT-2002-30626 (2002).
86. Lee, K. N. and Opila, E. J.: Mullite+CAS Bond Coat for Environmental Barrier Coatings for Si-Based Ceramics. Proceedings of a Symposium in Honor of the 65th Birthday of Professor Wayne L. Worrell, High Temperature Materials, ed. by S. C. Singhal, Electrochemical Society, Pennington, N.J., 263-273 (2002).
87. Lee, K. N. and Wang, H.: Coated Article and Method of Making. United States Patent No. 6,485,848 B1 (2002).
88. Lee, K. N. et al.: Silicon Based Substrate with Environmental Thermal Barrier Layer - Fabricated Article. United States Patent No. 6,410,148 (2002).
89. Lee, K. N. et al.: Silicon Based Substrate with Environmental Thermal Barrier Layer - Technology. United States Patent No. 6,387,456 (2002).

90. Lee, K. N.; Fox, D. S.; Eldridge, J. I.; Zhu, D.; Robinson, R. C.; Bansal, N. P.; and Miller, R. A.: Upper Temperature Limit of Environmental Barrier Coatings Based on Mullite and BSAS. NASA/TM—2002-211372 (2002).
91. Lee, K.; Fox, D.; and Bansal, N.: Development of Advanced EBCs for SiC/SiC in the NASA UEET Program. Presented at the 26th Annual Conference on Composites, Materials and Structures, Restricted Sessions, Port Cape Canaveral/Cocoa Beach, Fla., Jan. 27-31, 2002.
92. Levine, S. R.; Opila, E. J.; Halbig, M. C.; Kiser, J. D.; Singh, M.; and Salem, J.: Evaluation of Ultra-High Temperature Ceramics for Aeropropulsion Use. Journal of the European Ceramic Society 22 (2002) 2757-2767.
93. Levine, S. R.; Verrilli, M. J.; Thomas, D. J.; Halbig, M. C.; Calomino, A. M.; Ellis, J. R.; and Opila, E. J.: Ceramic Matrix Composites (CMC) Life Prediction Development. NASA/TM—2002-211472. ARL-R-2726, April 2002.
94. Allred, R. E.; Wesson, S. P.; McCorkle, L.; Sutter, J. K.; and Wheeler, D. R.: Surface Characterization of Sized and Desized Toray M40J Carbon Fibers. 47th International SAMPE Symposium, 2002, pp. 1187-1197.
95. Johnson, L. L.; Meador, M. A. B.; and Eby, R. K.: Investigation of Oxidation Profile in PMR-15 Polyimide Using Atomic Force Microscope (AFM). Polymer 44 (2003) 187-197, Dec. 2002.
96. Meador, M. A. B.: Polyimides and Process for Preparing Polyimides Having Thermal-Oxidative Stability. U.S. Patent No. US6,274,699 B1, Aug. 2001.
97. Meador, M. A. B. and Frimer, A. A.: Polyimides and Process for Preparing Polyimides Having Improved Thermal-Oxidative Stability. U.S. Patent No. US 6,303,744 B1, Oct. 16, 2001.
98. Meador, M. A. B.; Cubon, V. A.; Scheiman, D.; and Bennett, W.: The Effect of Branching in Rod-Coil Polymers as Membrane Materials for Lithium Polymer Batteries. Proceedings of the 11th International Meeting on Lithium Batteries, June 23-28, 2002.
99. Miyoshi, K.: Surface Analysis and Tools. NASA/TM—2002-211815, Aug. 2002.
100. Miyoshi, K.: Surface Characterization Techniques: An Overview. NASA/TM—2002-211497, July 2002.
101. Miyoshi, K.: Reducing Wear and Friction of CVD Diamond Films. NASA Tech Briefs, Aug. 2002.
102. Miyoshi, K., Lerch, B. A.; and Draper, S. L., Guest Editors: Tribology International, Feb. 2003, vol. 36, no. 2, Special Issue on Fretting Fatigue, Editor-in-Chief: B. J. Briscoe.
103. Miyoshi, K.; Lerch, B. A.; and Draper, S. L.: Preliminary Study on Fatigue Strengths of Fretted Ti-48Al-2Cr-2Nb. NASA/TM—2002-211718, Aug. 2002.

104. Miyoshi, K.; Lerch, B. A.; Draper, S. L.; and Raj, S. V.: Ti48Al-2Cr-2Nb Evaluated Under Fretting Conditions. 2001 Research and Technology, NASA/TM—2002-211333.
105. Li, H.; Lee, J.; Libera, M. R.; Lee, W. Y.; Kebbede, A.; Lance, M. J.; Wang, H.; and Morscher, G. N.: Morphological Evolution and Weak Interface Development within Chemical-Vapor-Deposited Zirconia Coating Deposited on Hi-Nicalon™ Fiber. *J. Am. Ceram. Soc.* 85 [6] 1561-68 (2002).
106. Morscher, G. N. and Cawley, J. D.: Intermediate Temperature Strength Degradation in SiC/SiC Composites. *J. European Ceramic Society*, vol. 22, no. 14-15, pp. 2777-2788 (2002).
107. Morscher, G. N. and Gyekenyesi, A. L.: The Velocity and Attenuation of Acoustic Emission Waves in SiC/SiC Composites Loaded in Tension. *Composites Science and Technology* 62 (2002) 1171-1180.
108. Morscher, G. N.; Hurwitz, F. I.; and Calomino, A. M.: C-Coupon Studies of SiC/SiC Composites Part I: Acoustic Emission Monitoring. *Ceram. Engineering and Science Proceedings*, vol. 23, issue 3, 2002, p. 387 ff.
109. Morscher, G. N.; Petko, J.; and Kiser, J. D.: Acoustic Emission and Damage Accumulation for Various Woven C/SiC Composites Tested in Tension at Room Temperature. 2002 National Space and Missile Materials Symposium, Colorado Springs, Col., June 2002.
110. Morscher, G. N.; Yun, H. M.; and Hurwitz, F. I.: High Temperature Si-doped BN Interphases for Woven SiC/SiC Composites. *Ceramics Engineering and Science Proceedings*, vol. 23, issue 3, 2002, pp. 295-302.
111. Lerch, B. A.; Nathal, M. V.; and Keller, D. J.: Thermocouple Calibration and Accuracy in a Materials Testing Laboratory. NASA/TM—2002-211507, April 2002.
112. Nguyen, Q. N. and Jones, W. R., Jr.: Volatility and Wear Characteristics of a Variety of Liquid Lubricants for Space Applications. *Tribology Transactions*, vol. 44 (2001), 4, 671-677.
113. Schneibel, J. H.; Hemker, K. J.; Noebe, R. D.; Hanada, S.; and Sauthoff, G., Eds.: High-Temperature Ordered Intermetallic Alloys IX. *MRS Proc.*, vol. 646 (2001).
114. Yoon, K. E.; Isheim, D.; Noebe, R. D.; and Seidman, D. N.: Nanoscale Studies of the Chemistry of a Rene N6 Superalloy. *Interface Science*, vol. 9, nos. 3-4 (2001) 249-255.
115. Ogbuji, L. U. J. T.: Pest Resistance in SiC/BN/SiC Composites. *J. Eur. Ceram. Soc.*, vol. 23, issue 4 (2003) 613-617, on-line version available 2002.
116. Ogbuji, L. U. J. T.: Recent Developments in the Environmental Durability of SiC/SiC Composites. *Proc. of 10th International Ceramics Congress*, Florence, Italy, July 2002. Also NASA/CR—2002-211687, July 2002.

- 117 Padula II, S. A.: The Fatigue Crack Propagation Behavior of a Polycrystalline Nickel-base Superalloy in the Near Threshold Region. PhD Dissertation, Michigan Technological University, 2002.
118. Shyam, A.; Padula, II, S. A.; Marras, S. I.; and Milligan, W. W.: Fatigue Crack Propagation Thresholds in a Nickel-base Superalloy at High Frequencies and Temperatures. Metallurgical & Materials Transactions A, vol. 33, pp. 1949-1962, July 2002.
119. Petko, J. and Kiser, J. D.: Characterization of C/SiC Ceramic Matrix Composites with Novel Fiber Coatings. 2002 National Space and Missile Materials Symposium, Colorado Springs, Col., June 2002.
120. Petko, J.; Kiser, J. D.; McCue, T.; and Verrilli, M.: Characterization of C/SiC Ceramic Matrix Composites with Novel Fiber Coatings. The 26th Annual Conference on Composites, Materials and Structures, Cocoa Beach/Cape Canaveral, Fla., Jan. 2002, Paper C8.
121. Quade, D.: Operating Instructions Model-40 Research Hot-Melt Prepregger.
122. Ghosn, L. J. and Raj, S. V.: Residual Stresses in Thermal Barrier Coatings for a Cu-8Cr-4Nb Substrate System. Ceramic Engineering and Science Proceedings, vol. 23, issue 4, 2002, p. 409 ff. Also NASA/TM—2002-211561, July 2002.
123. Mishra, R. S.; Earthman, J. C.; and Raj, S. V., Eds.: Creep Deformation: Fundamentals and Applications. Proceedings of a Symposium held during the 2002 TMS Annual Meeting, Seattle, Wash., Feb. 17-21, 2002.
124. Raj, S. V.: Creep Behavior of Near-Stoichiometric Polycrystalline Binary NiAl. Creep Deformation: Fundamentals and Applications (ed. by R. S. Mishra, J. C. Earthman and S. V. Raj), The Minerals, Metals & Materials Society, Warrendale, Penn., pp. 351-360 (2002). Also NASA/TM—2002-211210, Jan. 2002.
125. Raj, S. V.: Power-Law and Exponential Creep in Class M Materials: Discrepancies in Experimental Observations and Implications for Creep Modeling. Materials Science and Engineering A322 (2002) 132-147.
126. Raj, S. V.; Bieler, T. R.; Mohamed, F. A.; and Kad, B. K.: Rate Processes in Plastic Deformation II: Towards a Unified Constitutive Theory of Deformation. Guest Editors, Materials Science and Engineering 322 A, nos. 1-2, 15 Jan. 2002.
127. Raj, S. V.; Locci, I. E., Salem, J. A.; and Pawlik, R. J.: Effect of Directionally Solidified Microstructures on the Room-Temperature Fracture-Toughness Properties of Ni-33(at. Pct)Al-33Cr-1Mo and Ni-33(at. Pct)Al-31Cr-3Mo Eutectic Alloys Grown at Different Solidification Rates. Metallurgical and Materials Transactions A, vol. 33A, March 2002, 597-612.

128. Raj, S. V.; Whittenberger, J. D.; Locci, I. E.; and Salem, J. A.: Effects of Microalloying on the Microstructures and Mechanical Properties of Directionally Solidified Ni-33(at.%)Al-31Cr-3Mo Eutectic Alloys Investigated. *Research & Technology* 2001, NASA/TM—2002-211333, pp. 34-36.
129. Gilat, A.; Goldberg, R. K.; Roberts, G. D.: Experimental Study of Strain-Rate-Dependent Behavior of Carbon/Epoxy Composite. *Composites Science and Technology*, vol. 62, pp. 1469-1476, 2002.
130. Goldberg, R. K.; Roberts, G. D.; and Gilat, A.: Incorporation of Mean Stress Effects into the Micromechanical Analysis of the High Strain Rate Response of Polymer Matrix Composites. ICCE/9 Conference, San Diego, Calif., July 1-6, 2002. Also NASA/TM—2002-211702, June 2002.
131. Roberts, G. D.; Revilock, D. M.; Binienda, W. K.; Nie, W. Z.; Mackenzie, S. B.; and Todd, K. B.: Impact Testing and Analysis of Composites for Aircraft Engine Fan Cases. *Journal of Aerospace Engineering*, vol. 15, no. 3, July 2002, pp. 104-110.
132. Santos, J.: Synthetic Organic Chemistry Lab: Safety Review. *The Chemistry Preprint Server*, CPS:orgchem/0209004, 2002.
133. Santos, J. and Meador, M. A.: Molecularly Engineered Polymeric Materials: Thermal Properties of New Benzotrifurans Derivatives - Potential Electrolytes for Lithium Polymer Batteries - and Functionalization of Fluorescent Dyes for Biological Sensor Applications. OAI 2002 SRA/ICOMP Extending the Boundaries Annual Report and Digest.
134. Santos, J.; Mintz, E. A.; and Bu, X. R.: New Class of Imidazoles Incorporated to Thiophenevinyl Conjugation Pathway for Robust Nonlinear Optical Chromophores. *Tetrahedron Letters*, 805-808, 45, 2001.
135. Santos, J. and Meador, M. A.: Synthesis and Characterization of Substituted Hexaphenyl Benzotrifurans - Potential Discotic Liquid Crystalline Electrolytes for Lithium-Polymer Batteries. Eleventh International Meeting on Lithium Batteries, Monterey, Calif., June 2002.
136. Arellano-Lopez, A. R.; Lin, H. T.; Luecke, W.; Martinez, J.; and Sayir, A., Guest Editors: *Journal of the European Ceramic Society*. vol. 22, nos. 14-15, 2002, pp. 2437-2797.
137. Elices, M.; Liorca, J.; and Sayir, A., Guest Editors: *Engineering Fracture Mechanics*, vol. 69 (2002), p. 1005 ff.
138. Quispe Cancapa, J. J.; Arellano Lopez, A. R.; and Sayir, A.: High Temperature Mechanical Properties of Cr³⁺-Doped Sapphire Fibers and Bulk Crystal. *Ceramic Engineering and Science Proceedings*, vol. 23, issue 3, 2002, pp. 671-679.
139. Quispe Cancapa, J. J.; Pinto Gomez, A. R.; Martinez , J.; and Sayir, A.: High Temperature Plastic Behavior of 5 m% Er₂O₃-Doped ZrO₂ Fibers and Bulk Crystal. *Ceramic Engineering and Science Proceedings*, vol. 23, issue 3, 2002, p. 679-685.

140. Sayir, A. and Farmer, S. C.: Fracture Characteristics of Single Crystal and Eutectic Fibers. Chapter II: Ceramic Fibers. *Fiber Fracture*, ed. by M. Elice and J. Llorca, Elsevier 2001, pp. 107-127.
141. Allred, R. E.; Gosau, J. M.; Shin, E. E.; McCorkle, L. S.; O'Malley, M.; Sutter, J. K.; and Wheeler, D.: Characterization of M40J Desized and Finished Fibers. Proceedings of High Temple Workshop 22, Santa Fe, N.M., 21-24 Jan. 2002, Paper O.
142. Fink, J. E.; Shapey, B.; Shin, E. E.; Sutter, J. K.; Thesken, J.; Wonacott, G.; and Benzie, C.: Initial Assessment of High Temperature Polymer Matrix Carbon Fiber Composites for 3rd Generation Liquid Propellant Rocket Engine Applications. Proceedings of High Temple Workshop 22, Santa Fe, N.M., 21-24 Jan. 2002. Paper N.
143. Shin, E. E.; Sutter, J. K.; Eakin, H.; Inghram, L.; McCorkle, L.; Scheiman, D.; Papadopoulos, D.; Kerze, F.; Fink, J.; and Rice, B.: Design and Fabrication Issues of High Temperature PMCs for Aerospace Propulsion Applications. SAMPE 2002 Conference Proceedings, May 12-16, 2002, Long Beach, Calif., pp. 341-355.
144. Shin, E. E.; Sutter, J. K.; Eakin, H.; Inghram, L.; McCorkle, L.; Scheiman, D.; Papadopoulos, D.; Thesken, J.; and Fink, J. E.: Evaluation of Graphite Fiber/Polyimide PMCs from Hot Melt vs. Solution Prepregs. Proceedings of High Temple Workshop 22, Santa Fe, N.M., 21-24 Jan. 2002. Paper Y.
145. Stokes, E. H.; Shin, E. E.; Sutter, J. K.: Mechanical Testing of PMCs Under Simulated Rapid Heat-Up Propulsion Environments (I. Temperature Measurement). SAMPE 2002 Conference Proceedings, May 12-16, 2002, Long Beach, Calif., pp. 356-369.
146. de Arellano-Lopez, A. R.; Varela-Feria, F. M.; Martinez-Fernandez, J.; and Singh, M.: Compressive Creep of Silicon Nitride with Different Secondary Phase Compositions. Materials Science and Engineering A332 (2002) 295-300.
147. Indacochea, J. E.; DuPont, J. N.; Lienert, T. J.; Tillmann, W.; and Singh, M., Ed.: Joining of Advanced and Specialty Materials IV. Conference Proceedings from Materials Solutions '01, 5-8 Nov. 2001, ASM International.
148. Kohyama, A.; Singh, M.; Lin, H.-T.; and Katoh, Y., eds.: Advanced SiC/SiC Ceramic Composites: Developments and Applications in Energy Systems. Ceramic Transactions, vol. 144.
149. Lin, H.-T. and Singh, M.: Evaluation of Lifetime Performance of HI-Nicalon™ Fiber-Reinforced Melt-Infiltrated SiC Ceramic Composites. Advanced SiC/SiC Ceramic Composites, Ceramic Transactions, vol. 144, pp. 207-220.
150. Lin, H.-T. and Singh, M., Editors: Ceramic Engineering and Science Proceedings, vol. 23, issue 4, 2002. 26th Annual Conference on Composites, Advanced Ceramics, Materials, and Structures: B.
151. Lin, H.-T. and Singh, M., Editors: Ceramic Engineering and Science Proceedings, vol. 23, issue 3, 2002. 26th Annual Conference on Composites, Advanced Ceramics, Materials, and Structures: A.

152. Munoz, A.; Martinez Fernandez, J.; and Singh, M.: High Temperature Compressive Mechanical Behavior of Joined Biomorphic Silicon Carbide Ceramics. *Journal of the European Ceramic Society* 22 (2002) 2727-2733.
153. Singh, M.: Ecoceramics: Ceramics From Wood. *Advanced Materials & Processes*, March 2002, vol. 160, no. 3, pp. 39-41. Received 2001 R&D 100 Award.
154. Singh, M.: Ceramics Made From Wood. *NASA Tech Briefs*, Jan. 2002.
155. Singh, M. and Salem, J. A.: Mechanical Properties and Microstructure of Biomorphic Silicon Carbide Ceramics Fabricated from Wood Precursors. *Journal of the European Ceramic Society* 22 (2002) 2709-2717.
156. Singh, M. and Yee, B.-M.: Environment Conscious, Biomorphic Ceramics from Pine and Jelutong Wood Precursors. *Ceramic Engineering and Science Proceedings*, vol. 23, issue 4, 2002, pp. 719-726.
157. Varela-Feria, F. M.; Lopez-Robledo, M. J.; Martinez-Fernandez, J.; de Arellano-Lopez, A. R.; and Singh, M.: Precursor Selection for Property Optimization in Biomorphic SiC Ceramics. *Ceramic Engineering and Science Proceedings*, vol. 23, Issue 4, 2002, pp. 681-687.
158. Varela-Feria, F. M.; Martinez-Fernandez, J.; de Arellano-Lopez, A. R.; and Singh, M.: Low Density Biomorphic Silicon Carbide: Microstructure and Mechanical Properties. *Journal of the European Ceramic Society* 22 (2002) 2719-2725.
159. Smialek, J. L.: Scale Adhesion, Sulfur Content, and TBC Failure on Single Crystal Superalloys. *Ceramic Engineering & Science Proceedings*, vol. 23, issue 4, 2002, pp. 484-495.
160. Smialek, J. L.: A Deterministic Interfacial Cyclic Oxidation Spalling Model: Part 2. — Algebraic Approximation, Descriptive Parameters, and Normalized Universal Curve. *NASA/TM—2002-211906/PART2*, Dec. 2002.
161. Smialek, J. L.: A Deterministic Interfacial Cyclic Oxidation Spalling Model: Part 1. — Model Development and Parametric Response. *NASA/TM—2002-211906/PART1*, Dec. 2002.
162. Smialek, J. L. and Auping, J. V.: COSP for Windows: Strategies for Rapid Analyses of Cyclic Oxidation Behavior. *Oxidation of Metals*, 57 (5-6): 559-581, June 2002. Also *NASA/TP—2002-211108*, Feb. 2002.
163. Smialek, J. L. and Morscher, G. N.: Delayed Alumina Scale Spallation on RenéN5+Y: Moisture Effects and Acoustic Emission. *Materials Science and Engineering*: A,332 (1-2), 11-24, 2002.
164. Spuckler, C. M.: Radiation Effects in Semitransparent Gray Coating Heated by Convection and Cooled by Radiation. *Ceramic Engineering and Science Proceedings*, vol. 23, issue 4, 2002, pp. 431-438. Also *NASA/TM—2002-211554*, May 2002.

165. Allred, R. E.; Wesson, S. P.; Sutter, J. K.; McCorkle, L.; and Wheeler, D. R.: Surface Characterization of Sized and Desized Toray M40J Carbon Fibers. 47th International SAMPE Symposium, 2002, pp. 1187-1197.
166. Benedikt, B.; Rupnowski, P.; Kumosa, L.; Sutter, J. K.; Predecki, P. K.; and Kumosa, M.: Determination of Interlaminar Residual Thermal Stresses in a Woven 8HS Graphite/PMR-15 Composite Using X-ray Diffraction Measurements. Mechanics of Advanced Materials and Structures, vol. 9, no. 4, Oct. 1, 2002, pp. 375-394.
167. Dever, J. A.; de Groh, K. K.; Sutter, J. K.; Gaier, J. R.; Messer, R. K.; Scheiman, D. A.; McClendon, M. W.; Viens, M. J.; Wang, L. L.; He, C. C.; and Gommow, J. D.: Physical and Thermal Properties Evaluated of Teflon FEP Retrieved from the Hubble Space Telescope During Three Servicing Missions. NASA/TM—2002-211333, pp. 66-67, 2002.
168. Fink, J.; Shapey, J.; Sutter, J.; Shin, E.; Thesken, J.; Papadopoulos, D.; Wonacott, G.; and Benzie, C.: Initial Assessment of High Temperature Polymer Matrix Carbon Fiber Composites for 3rd Generation Liquid Propellant Rocket Engine Applications. Proceedings of USAF High Temple Workshop XXII, Jan. 21, 2002, pp. N1-N16.
169. Gentz, M.; Armentrout, D.; Rupnowski, P.; Kumosa, L.; Sutter, J. K.; and Kumosa, M.: Mechanical Behavior of a Woven Graphite/PMR-15 Composite at Room and Elevated Temperatures Determined from the +/-45° Tensile and Iosipescu Shear Tests. Journal of Composites, Technology & Research, vol. 25, no. 1.
170. Knight, R.; Ivosevic, M.; Twardowski, K. S.; Sutter, J.; and Kim, D. Y.: Development of HVOF Sprayed Erosion/Oxidation Resistant Coatings for Composite Structural Components in Propulsion Systems. Proceedings of USAF High Temple Workshop XXII, Jan. 21, 2002, pp. P1-P13.
171. Kumosa, M.; Odegard, G.; Armentrout, D.; Kumosa, L.; Searles, K.; and Sutter, J. K.: Comparison of the +/-45 Off-Axis and Iosipescu Shear Tests for Woven Fabric Composite Materials. Journal of Composites Technology & Research, vol. 24 (1) 2002, pp. 3-16.
172. Kumosa, M.; Predicki, P.; Armentrout, D.; Benedikt, B.; Rupnowski, P.; Gentz, M.; Kumosa, L.; and Sutter, J. K.: Fundamental Issues Regarding the High Temperature Failure Properties of Graphite/Polyimide Fabric Composites Subjected to Biaxial Shear Dominated Loads. Proceedings of USAF High Temple Workshop XXII, Jan. 21, 2002, pp. L1-L19.
173. Sutter, J. K.: NASA Glenn Research Center HOTPC PMC Project Overview. Proceedings of USAF High Temple Workshop XXII, Jan. 21, 2002, pp. E1-E12.
174. Sutter, J. K.; Leissler, G.; and Horan, R.: NASA Glenn/AADC Collaboration: Optimized Erosion Coatings for Inlet Guide Vanes. NASA/TM—2002-211333, pp. 28-29, 2002.

175. Calomino, A. and Verrilli, M.: Mechanical Performance Improvements of an In-situ Boron Nitride-Coated MI SiC/SiC Composite. Proceedings of the 26th Annual Conference on Composites, Materials, and Structures, Cocoa Beach, Fla., Jan. 28-31, 2002.
176. Calomino, A.; Verrilli, M. J.; and Thomas, D. J.: Stress/Life Behavior of C/SiC Composites in a Low Partial Pressure of Oxygen Environment Part II: Stress Rupture Life and Residual Strength Relationship. Ceramic Engineering and Science Proceedings, vol. 23, issue 3, 2002, p. 443 ff.
177. Calomino, A.; Verrilli, M.; and Thomas, D.: Stressed Oxidation Life for a Carbon Fiber Reinforced Silicon Carbide Matrix Composite. Presented at IGTI 2002: ASME Turbo Expos 2002, June 3-6, 2002, Amsterdam, The Netherlands, ASME Paper I GT-2002-30057.
178. Kalluri, S. and Verrilli, M. J.: Elevated Temperature Fatigue Endurance of Three Ceramic Matrix Composites. NASA TM Report (TM number to be assigned upon end of restriction), March 2002.
179. Kalluri, S.; Verrilli, M. J.; and Ojard, G. C.: Effect of Environment on Fatigue Behavior of a NicalonTM/Si-N-C Ceramic Matrix Composite. Ceramic Engineering and Science Proceedings, vol. 23, issue 3, pp. 443-451, 2002.
180. Thomas, D. J.; Calomino, A.; and Verrilli, M. J.: Stress/Life Behavior of C/SiC Composites in a Low Partial Pressure of Oxygen Environment Part III: Life Prediction Using Probabilistic Residual Strength Model. Ceramic Engineering and Science Proceedings, vol. 23, issue 3, 2002, p. 453 ff.
181. Verrilli, M. and Brewer, D.: Characterization of Ceramic Matrix Composite Fasteners Exposed in a Combustor Liner Rig Test. Presented at IGTI 2002: ASME Turbo Expos 2002, June 3-6, 2002, Amsterdam, The Netherlands, ASME Paper ID GT2002-30459.
182. Verrilli, M. J. and Salem, J. A.: Mechanical Testing: Standardization, International Homologization. Encyclopedia of Materials: Science and Technology, pp. 5291-5295, 2001.
183. Verrilli, M. J.; Calomino, A.; and Thomas, D. J.: Stress/Life Behavior of a C/SiC Composite in a Low Partial Pressure of Oxygen Environment Part I: Static Strength and Stress Rupture Database. Ceramic Engineering and Science Proceedings, vol. 23, issue 3, 2002, p. 435 ff.
184. Verrilli, M. J.; Martin, L. C.; and Brewer, D. N.: RQL Sector Rig Testing of SiC/SiC Combustor Liners. NASA/TM—2002-211509, April 2002.
185. Verrilli, M. J.; Ojard, G.; Barnett, T. R.; Sun, J.; and Baaklini, G.: Evaluation of Post-Exposure Properties of SiC/SiC Combustor Liners Tested in the RQL Sector Rig. Ceramic Engineering and Science Proceedings, vol. 23, issue 3, 2002, p. 551 ff. Also NASA/TM—2002-211380, March 2002.

186. Lesuer, D. R.; Syn, C. K.; Whittenberger, J. D.; and Sherby, O. D.: Flow Stresses in Metal Laminates and Pure Metals during High Temperature Extrusion. *International J. Plasticity* 18 (2002) 155-184.
187. Whittenberger, J. D.; Raj, S. V.; and Locci, I. E.: Effect of Microstructure on Creep in Directionally Solidified NiAl-31Cr-3Mo. *Creep Deformation: Fundamentals and Applications* (eds. R. S. Mishra, J. C. Earthman, and S. V. Raj) TMS, Warrendale, Penn., 2002, pp. 331-341.
188. Whittenberger, J. D.; Raj, S. V.; Locci, I. E.; and Salem, J. A.: Elevated Temperature Strength and Room-Temperature Toughness of Directionally Solidified Ni-33Al-33Cr-1Mo. *Metallurgical and Materials Transactions A*, vol. 33A, May 2002, 1385-1397.
189. Tsirlin, A. M.; Florina, E. K.; Pronin, Y. E.; Shemaev, B. I.; Khatzernov, M. A.; Yun, H. M.; Morscher, G.N.; and DiCarlo, J. A.: Strength and Oxidation Resistance of SiC Fibers Coated with Various Si-Containing Compositions. *Ceramic Engineering and Science Proceedings*, vol. 23, issue 3, p. 269 ff.
190. Yun, H. M.; DiCarlo, J. A.; Ogbuji, L. T.; and Chen, Y. L.: Tensile Behavior of As-Fabricated and Burner-Rig Exposed SiC/SiC Composites with Hi-Nicalon Type-S Fibers. *Ceramic Engineering and Science Proceedings*, vol. 23, issue 3, 2002, p. 571 ff.
191. Yun, H. M.; Gyekenyesi, J. Z.; and DiCarlo, J. A.: Effects of 3-D Fiber Architecture on Tensile Stress-Strain Behavior of SiC/SiC Composites. *Ceramic Engineering and Science Proceedings*, vol. 23, issue 3, 2002, p. 503 ff.
192. Zhu, D. and Miller, R. A.: Thermal Conductivity and Sintering Behavior of Advanced Thermal Barrier Coatings. *Ceramic Engineering and Science Proceedings*, vol. 23, issue 4, 2002, p. 457 ff. Also NASA/TM—2002-211481, March 2002.
193. Zhu, D. M.; Lee, K. N.; and Miller, R. A.: Sintering and Cyclic Failure Mechanisms of Thermal and Environmental Barrier Coating Systems under High Thermal Gradient Test Conditions. *Ceramic Engineering and Science Proceedings*, vol. 23, issue 4, 2002, p. 505 ff.
194. Zhu, D.; Fox, D. S.; and Miller, R. A.: Oxidation- and Creep-Enhanced Fatigue of Haynes 188 Alloy-Oxide Scale System Under Simulated Pulse Detonation Engine Conditions. *Ceramic Engineering and Science Proceedings*, vol. 23, issue 4, 2002, p. 547 ff. Also NASA/TM—2002-211484, March 2002.
195. Zhu, D.; Lee, K. N.; and Miller, R. A.: Thermal Gradient Cyclic Behavior of a Thermal/Environmental Barrier Coating System on SiC/SiC Ceramic Matrix Composites. ASME Paper GT-2002-30632, Amsterdam, The Netherlands. Also NASA/TM—2002-211593, May 2002.
196. Zhu, D.; Nesbitt, J. A.; McCue, T. R.; Barrett, C. A.; and Miller, R. A.: Furnace Cyclic Behavior of Plasma-Sprayed Zirconia-Yttria and Multi-Component Rare Earth Oxide Doped Thermal Barrier Coatings. *Ceramic Engineering and Science Proceedings*, vol. 23, issue 4, 2002, p. 533 ff. Also NASA/TM—2002-211690, June 2002.

197. Zhu, D.; Lee, K. N.; and Miller, R. A.: Cyclic Failure Mechanisms of Thermal and Environmental Barrier Coating Systems under Thermal Gradient Test Conditions. NASA/TM—2002-211478, April 2002.

Appendix A
Authors List

Alston	1	Gabb	47,48,49,50,51,52,53,54, 55,58
Auping	73,162	Gayda	50,56,57,58,59
Babuder	15	Good	60
Bansal	2,3,4,5,6,7,8,9,10,82, 83,90,91	Gray	61
Bhatt	11,12,13,14,15,16,17	Halbig	62,63,92,93
Biles	50	Hebsur	64
Bozzolo	18,19,20,21,22,23,24, 25,26,27,60	Heimann	65
Campbell	28,29	Hull	15
Cawley	106	Hurwitz	66,67,68,69,70,71, 108,110
Chen	4,14,190	Inghram	143,144
Chuang	30,31,32,33	Jacobson	72,73,74,82,83
Copland	73	Kiser	46,75,76,77,78 79,92,109,119,120
Cuy	79	Lang	80,81
deGroh	34,35,36,37	Lee	82,83,84,85,86,87, 88,89,90,91,193, 195,197
DiCarlo	78,189,190,191	Leissler, G.	174
Draper	38,102,103,104	Levine	78,92
Eckel	78,80,81	Locci	127,128,187,188
Eldridge	15,39,40,41,71,84,90	McCorkle	94,141,143,144
Farmer	42,140	McCue	67,68,120,196
Fox	43,90,91,194	Medor, MAB	95,96,97,98
Freed	44,45	Medor, M.	135
Freedman	46,77,78	Miller	43,90,192,193,194

	195,196,197		145,168
Miyoshi	38,99,100,101, 102,103,104	Singh	79,92,146,147, 148,149,150,151, 152,153,154,155, 156,157,158
Morscher	14,40,68,105, 106,107,108, 109,110,163,189	Smialek	82,83,159,160, 161,162,163
Nathal	111	Smith	49
Nesbitt	196	Spuckler	41,164
Nguyen	112	Sutter	94,141,142,143, 144,145,165,166, 167,168,169,170, 171,172,173,174
Noebe	20,22,23,24,27, 113,114	Verrilli	93,120,175,176, 177,178,179,180, 181,182,183,184, 185
Ogbuji	115,116,190	Whittenberger	128,186,187,188
Opila	82,83,86,92,93	Yun	110,189,190,191
Padula	117,118	Zhu	43,90,192,193,194 195,196,197
Papadopoulos	29,32,143,144, 168		
Petko	109,119,120		
Quade	121		
Raj	104,122,123,124, 125,126,127,128, 187,188		
Roberts	130,131		
Robinson	90		
Santos, J.	132,133,135		
Sayir	42,136,137,138, 139,140		
Scheiman	28,29,98,143, 144,167		
Shin	141,142,143,144,		

Appendix B **Subject Matter**

Superalloys	18,47,48,49,50,51,52,53,54,55,56,57, 58,59,104, 114,117,118,159,160,161,162,163,164
Other Metals	102,147,160,161,162,186
Intermetallics	18,19,20,22,23,24,27,38,73,102,103,104,113,124, 160,161,162,187,188
Fibers	4,42,75,76,102,136,138,139,189
Ceramics	2,3,6,9,11,16,17,42,74,79,85,86,87,88,89,90,91,92, 136,137,138,139,140,146,147,148,150,151,152,153, 154,155,156,157,158,193,197
Composites, Metal/Intermetallic	127,128,147,150,151,194
Composites, Polymer	1,28,29,30,31,32,33,94,121,129,130,131,136,143, 144,145,165,166,168,169,170,171,172,173,174
Composites, Ceramic	3,5,6,7,8,9,10,12,13,14,15,42,46,62,63,65,66,67,68, 69,70,71,75,76,77,78,79,80,81,85,86,87,88,89,90, 91,92,93,105,106,107,108,109,110,115,116,119, 120,136,138,139,147,148,149,150,151,175,176,177, 178,179,180,181,183,184,185,189,190,191,193
Polymers	1,95,96,97,98,133,167
Oxidation/Corrosion	43,46,62,63,64,72,75,77,78,92,103,104,106,115, 116,159,160,161,162,163,176,179,183,190,197
TBCs	40,41,43,122,150,151,159,164,192,195,196
Coatings	3,9,39,40,41,43,72,82,83,84,85,86,87,88,89,90,91, 101,122,148,170,174,189,192,193,195,196,197
Materials Characterization	1,4,5,7,8,39,40,41,43,46,47,48,49,50,51,52,53,54, 55,73,76,77,78,79,85,86,87,88,89,90,91,92,100, 101,102,107,108,109,114,146,147,148,149,150,151, 152,153,154,155,156,157,158,166,169,171,172,175, 176,177,179,182,183,193,194,195,196
Materials Applications	42,43,46,71,76,77,78,136,142,147,148,150,151,168, 181,184,185,191
Surfaces/Interfaces	15,19,21,25,26,60,69,70,99,100,101,105,106,110,

	112,114,141,148,150,151,152
General Reviews	19,61,132,136,137,140
Other	28,29,34,35,36,37,44,45,111,112,121,123,125,126, 134,135